

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(thin adj first adj gate adj electrode near5 pre\$1determined adj thickness near10 dielectric near10 interface near20 minimize adj gate adj depletion near10 interface)	US-PGPUB; USPAT	OR	OFF	2007/07/13 11:09
S1	5	((("6069061") or ("5837598") or ("6288403") or ("3607449") or ("5801086")).PN.	US-PGPUB; USPAT	OR	OFF	2006/11/08 10:32
S2	9976	((gate adj electrode) near20 (semiconductor adj device))	US-PGPUB; USPAT	OR	OFF	2006/11/08 10:33
S3	2589	S2 and (depletion)	US-PGPUB; USPAT	OR	OFF	2006/11/09 08:08
S4	0	S3 and (ion adj implati\$4)	US-PGPUB; USPAT	OR	OFF	2006/11/08 10:34
S5	1121	S3 and doping	US-PGPUB; USPAT	OR	OFF	2006/11/08 10:34
S6	431	S5 and (gate near10 dielectric)	US-PGPUB; USPAT	OR	OFF	2006/11/08 10:35
S7	424	S6 and (source or drain)	US-PGPUB; USPAT	OR	OFF	2006/11/08 10:35
S8	43	S7 and asymmetric	US-PGPUB; USPAT	OR	OFF	2006/11/09 09:16
S9	8	S8 and shallow	US-PGPUB; USPAT	OR	OFF	2006/11/08 10:36
S10	2	S8 and (trench near10 isolation)	US-PGPUB; USPAT	OR	OFF	2006/11/08 10:36
S11	197	S7 and trench	US-PGPUB; USPAT	OR	OFF	2006/11/08 10:37
S12	64	S11 and (heat adj treat\$4)	US-PGPUB; USPAT	OR	OFF	2006/11/08 10:37
S13	29	S12 and (amorphous near10 silicon)	US-PGPUB; USPAT	OR	OFF	2006/11/08 10:38
S14	19	S13 and poly\$1silicon	US-PGPUB; USPAT	OR	OFF	2006/11/08 10:38
S15	19	S14 and boron	US-PGPUB; USPAT	OR	OFF	2006/11/08 10:43
S16	1	S14 and decaborane	US-PGPUB; USPAT	OR	OFF	2006/11/08 10:44
S17	12	S15 and photoresist	US-PGPUB; USPAT	OR	OFF	2006/11/08 10:44

EAST Search History

S18	15	("20010020725" "20020130378" "20020185697" "20030049919" "4835112" "5633177" "5861340" "5952692" "6252283" "6301155" "6423632" "6492694" "6504214" "6660660" "6710407").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/08 10:57
S19	1	("6013332").PN.	US-PGPUB; USPAT	OR	OFF	2006/11/08 10:57
S20	1	("5885877").PN.	US-PGPUB; USPAT	OR	OFF	2006/11/08 15:25
S21	1	("5905293").PN.	US-PGPUB; USPAT	OR	OFF	2006/11/09 09:15
S22	1	("7126199").PN.	US-PGPUB; USPAT	OR	OFF	2006/11/09 09:15
S23	9986	((gate adj electrode) near20 (semiconductor adj device))	US-PGPUB; USPAT	OR	OFF	2006/11/09 09:16
S24	2592	S23 and (depletion)	US-PGPUB; USPAT	OR	OFF	2006/11/09 09:16
S25	1122	S24 and doping	US-PGPUB; USPAT	OR	OFF	2006/11/09 09:16
S26	432	S25 and (gate near10 dielectric)	US-PGPUB; USPAT	OR	OFF	2006/11/09 09:16
S27	425	S26 and (source or drain)	US-PGPUB; USPAT	OR	OFF	2006/11/09 09:16
S28	227	S27 and ((gate adj electrode) near10 thickness)	US-PGPUB; USPAT	OR	OFF	2006/11/09 09:43
S29	1	("5773337").PN.	US-PGPUB; USPAT	OR	OFF	2006/11/09 11:12
S30	1	("6693051").PN.	US-PGPUB; USPAT	OR	OFF	2006/11/09 11:12
S31	11953	438/515,653,657,690,702,710,787, 758,790;257/296,306,330.ccls.	US-PGPUB; USPAT	OR	OFF	2006/11/09 16:11
S32	9986	((gate adj electrode) near20 (semiconductor adj device))	US-PGPUB; USPAT	OR	OFF	2006/11/09 16:11
S33	2592	S32 and (depletion)	US-PGPUB; USPAT	OR	OFF	2006/11/09 16:11
S34	1122	S33 and doping	US-PGPUB; USPAT	OR	OFF	2006/11/09 16:11
S35	432	S34 and (gate near10 dielectric)	US-PGPUB; USPAT	OR	OFF	2006/11/09 16:11
S36	425	S35 and (source or drain)	US-PGPUB; USPAT	OR	OFF	2006/11/09 16:11
S37	198	S36 and trench	US-PGPUB; USPAT	OR	OFF	2006/11/09 16:11

EAST Search History

S38	64	S37 and (heat adj treat\$4)	US-PGPUB; USPAT	OR	OFF	2006/11/09 16:11
S39	29	S38 and (amorphous near10 silicon)	US-PGPUB; USPAT	OR	OFF	2006/11/09 16:11
S40	19	S39 and poly\$1silicon	US-PGPUB; USPAT	OR	OFF	2006/11/09 16:11
S41	19	S40 and boron	US-PGPUB; USPAT	OR	OFF	2006/11/09 16:11
S42	12	S41 and photoresist	US-PGPUB; USPAT	OR	OFF	2006/11/09 16:11
S43	19634	S31 ans S42	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/11/09 16:12
S44	3	S31 and S42	US-PGPUB; USPAT	OR	OFF	2006/11/09 16:13